

Fwd: Use of existing Rt. 13 Entrance at Jimmy's Grille

Casey Rauch <casey@raucheng.com>
To: Bethany DeBussy <bde>sy@townofbridgevillede.us>

Fri, Apr 1, 2022 at 9:30 AM

Please see below from DelDOT regarding the 13 entrance.

Casey Rauch PE

----- Forwarded message ------

From: McCabe, R. Stephen (DelDOT) <Richard.McCabe@delaware.gov>

Date: Thu, Feb 24, 2022 at 2:22 PM

Subject: Use of existing Rt. 13 Entrance at Jimmy's Grille

To: makostis23@yahoo.com <makostis23@yahoo.com>, Casey Rauch <casey@raucheng.com> Cc: Sammons, Todd (DelDOT) <Todd.Sammons@delaware.gov>, Polasko, Wendy (DelDOT)

<Wendy.Polasko@delaware.gov>, Okesola, Olayiwola (DelDOT) <Olayiwola.Okesola@delaware.gov>, Andrescavage,

John (DelDOT) <John.Andrescavage@delaware.gov>

Mike/Casey, please be advised, your appeal of the Department's January 25, 2022 pre-submittal meeting recommendation to not utilize the existing/former Jimmy's Southern Grille entrance on Rt. 13 for the proposed 68,400 sq-ft Storage Facility has been approved. We evaluated the existing entrance with respect to safety operations and due to the reduced number of average daily trips (103 trips) for the proposed Storage facility, the existing entrance may remain in place and be utilized for the proposed Storage facility presented at the meeting.

However, future development resulting in an increase in traffic generation to the existing Rt. 13 entrance will have to be re-evaluated by the Department and be subject to the CCPP, which may result in limitations or restrictions.

Should you have further questions or concerns, please feel free to contact me directly. Thanks. S. McCabe



A 106 N. Harrison St. Easton, MD 21601

P 410.770.9081

F 410.770.3667

W rauch-inc.com

The information transmitted by this email is intended only for the person or entity to which it is addressed. This email may contain proprietary, business-confidential and/or privileged material. We accept no liability for the content of this email, or for the consequences of any actions taken based on the information provided, unless that information is separately confirmed in writing. If you are not the intended recipient of this message, be advised that you have received this transmission in error and that any use, dissemination, forwarding, printing, or copying of this information is strictly prohibited. If you have received this e-mail in error, please notify the sender and delete this message immediately.